

Certificate of Analysis

Website: <https://anmit-labs.com>

Contact at info@anmit-labs.com

1. Product Information

Item	Information
Product Name	Bacteriostatic Water
Product Code	WA10
Specification	10 mL/vial
Batch No.	WMWA20260720
Manufacture Date	2026-07-20
Expiry Date	2028-07-19
Packaging	Sealed vial
Storage Condition	Store at controlled room temperature, 20–25°C. Protect from light.
Intended Use	For laboratory research use only

2. Product Description

Description	Product Photo / Visual Record
Bacteriostatic Water is a clear aqueous solution supplied in sealed vials and prepared according to the confirmed product specification and batch production records.	

3. Composition

Component	Specification
Water	q.s.
Preservative	Benzyl Alcohol 0.9%

4. Test Results

Test Item	Specification	Result
Appearance	Clear, colorless liquid	✓ Conforms
Visible Particles	No visible foreign particles	✓ Conforms
Fill Volume	NLT labeled volume	✓ Conforms
pH	4.5-7.0	6.0 / Conforms
Container Closure	Vial properly sealed	✓ Conforms

5. Conclusion

The above batch complies with the listed specification based on the applicable quality-control records.

6. Statement

This product is supplied for laboratory research use only. It is not intended for human or veterinary use.

Remarks: Peptide HPLC purity and ESI-MS identity testing are not applicable to bacteriostatic water.

7. Approval

Quality Control Department	Quality Control Department Authorized QC Review
Approved by	
Date	August 7, 2026