

Certificate of Analysis




Website: <https://peptide.wumolab.com/>

Contact at peptide@wumolab.com

Product Name	KLOW 80mg/vial	Received Date	September 20, 2026
Batch No.	WM-N4Y8-Klow80	Reported Date	September 23, 2026
Brand	ANMIT LABS	Manufacturer	SUZHOU XILIN TECHNOLOGY CO.,LTD
Sample description	Blue lyophilized powder in labeled vial	Tests requested	Identity and purity assessment of peptide vial sample

Specification	Result	Method
Identity	TB-500 / BPC-157 / GHK-Cu / KPV	LC-MS
Fill Amount / Label Claim	TB-500 - 10mg BPC-157 - 10mg GHK-Cu - 50mg KPV - 10mg	Filling Record
Purity	TB-500 - 99.79% BPC-157 - 99.52% GHK-Cu - 99.99% KPV - 99.65%	RP-HPLC (220 nm)

HPLC Chromatogram



Mass Confirmation (LC-MS) - original traces on page 2

The component strengths and purity values above are transcribed from the supplied batch report.

Certificate of Analysis



Website: <https://peptide.wumolab.com/>


Contact at peptide@wumolab.com

Analytical evidence (continued)


GHK-Cu




TB-500



BPC-157



KPV



Remarks: For laboratory research use only. Not for human or veterinary use.

Checked By <i>He Yiji</i> Reported September 23, 2026	This report summarizes the test results for the submitted sample. Purity was analyzed by RP-HPLC, and identity was assessed by LC-MS. The results apply only to the tested batch/sample and are provided for research and quality-control reference only.
---	--